


INFORMATION DISCLOSURE CITATION

| | |
|---------------------------------|---|
| Attorney Docket No.: GC715-2-EP | Serial No.: 10/500,660 |
| Applicant: BRON et al. | |
| Filing Date: March 31, 2006 | Group: 1636 |
| Page 1 of 2 | Date of this Submission: April 26, 2006 |



US PATENT DOCUMENTS

| Examiner's Initial | Document Number | Date | Name | Class | Sub-Class | Filing Date |
|--------------------|-----------------|------|------|-------|-----------|-------------|
| A1 | | | | | | |
| A2 | | | | | | |
| A3 | | | | | | |
| A4 | | | | | | |
| A5 | | | | | | |
| A6 | | | | | | |
| A7 | | | | | | |
| A8 | | | | | | |
| A9 | | | | | | |
| A10 | | | | | | |
| A11 | | | | | | |

FOREIGN PATENT DOCUMENTS


| Examiner's Initials | Document Number | Date | Country | Class | Sub-Class | Translation Yes/No |
|---------------------|-----------------|------|---------|-------|-----------|--------------------|
| B1 | | | | | | |
| B2 | | | | | | |
| B3 | | | | | | |

OTHER DOCUMENTS

| Examiner's Initials | Author, Title, Date, Pertinent Pages, etc. |
|---------------------|---|
| C1 /N.V./ | Copy of the supplementary European search report mailed February 14, 2006. |
| C2 /N.V./ | Tjalsma et al., "Complementary Impact of Paralogous Oxal-like Proteins of <i>Bacillus subtilis</i> on Post-translocational Stages in Protein Secretion," <i>The Journal of Biological Chemistry</i> , 278(18):15622-15632 (2003). |
| C3 /N.V./ | Van Wely et al., "Translocation of proteins across the cell envelope of Gram-positive bacteria," <i>FEMS Microbiology Reviews</i> , 25:437-454 (2001). |

| | |
|------------------------|-----------------|
| Examiner /Nancy Vogel/ | Date Considered |
| | 05/04/2007 |

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



INFORMATION DISCLOSURE CITATION

| | | |
|---------------------------------|---|------------------------|
| Attorney Docket No.: GC715-2-US | | Serial No.: 10/500,660 |
| Applicant: BRON et al. | | |
| Filing Date: March 31, 2005 | Group: 1636 | |
| Page 1 of 5 | Date of this Submission: March 27, 2006 | |

US PATENT DOCUMENTS

| Examiner's Initial | Document Number | Date | Name | Class | Sub-Class | Filing Date |
|--------------------|-----------------|----------|---------------|-------|-----------|-------------|
| A1 /N.V./ | 5,824,502 | 10-20-98 | Honjo et al. | | | |
| A2 /N.V./ | 5,939,317 | 08-17-99 | Fayard et al. | | | |
| A3 | | | | | | |
| A4 | | | | | | |
| A5 | | | | | | |
| A6 | | | | | | |
| A7 | | | | | | |
| A8 | | | | | | |
| A9 | | | | | | |
| A10 | | | | | | |
| A11 | | | | | | |

FOREIGN PATENT DOCUMENTS

| Examiner's Initials | Document Number | Date | Country | Class | Sub-Class | Translation Yes/No |
|---------------------|-----------------|------|---------|-------|-----------|--------------------|
| B1 | | | | | | |
| B2 | | | | | | |
| B3 | | | | | | |

OTHER DOCUMENTS

| Examiner's Initials | Author, Title, Date, Pertinent Pages, etc. |
|--|---|
| C1 /N.V./ | Copy of the International Search Report for PCT/US02/39634 mailed 28 July 2003. |
| C2 /N.V./ | Altamura et al., "Saccharomyces cerevisiae OXA1 gene is required for the correct assembly of cytochrome c oxidase and oligomycin-sensitive ATP synthase," <i>FEBS Letters</i> , 382:111-115 (1996). |
| C3 /N.V./ | Altschul et al., "Gapped BLAST and PSI-BLAST: a new generation of protein database search programs," <i>Nucleic Acids Research</i> , 25(17):3389-3402 (1997). |
| Examiner /Nancy Vogel/ | Date Considered 05/04/2007 |
| Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | |

PTO-1449

INFORMATION DISCLOSURE CITATION

| | |
|---------------------------------|---|
| Attorney Docket No.: GC715-2-US | Serial No.: 10/500,660 |
| Applicant: BRON et al. | |
| Filing Date: March 31, 2005 | Group: 1636 |
| Page 2 of 5 | Date of this Submission: March 27, 2006 |

OTHER DOCUMENTS

| Examiner's Initials | Author, Title, Date, Pertinent Pages, etc. |
|--|---|
| C4 N.V./ | Antelmann et al., "A Proteomic View on Genome-Based Signal Peptide Predictions," <i>Genome Research</i> , 11:1484-1502 (2001). |
| C5 | Bauer et al., "PET1402, a nuclear gene required for proteolytic processing of cytochrome oxidase subunit 2 in yeast," <i>Mol. Gen. Genet.</i> , 245:272-278 (1994). |
| C6 | Bengtsson et al., "Subunit II of <i>Bacillus subtilis</i> Cytochrome c Oxidase Is a Lipoprotein," <i>Journal of Bacteriology</i> , 181(2):685-688 (1999). |
| C7 | Bolhuis et al., "SecDF of <i>Bacillus subtilis</i> , a Molecular Siamese Twin Required for the Efficient Secretion of Proteins," <i>The Journal of Biological Chemistry</i> , 273(33):21217-21224 (1998). |
| C8 | Bolhuis et al., "Functional Analysis of Paralogous Thiol-disulfide Oxidoreductases in <i>Bacillus subtilis</i> ," <i>The Journal of Biological Chemistry</i> , 274(35):24531-24538 (1999). |
| C9 | Bonnefoy et al., "The respiratory gene <i>OXA1</i> has two fission yeast orthologues which together encode a function essential for cellular viability," <i>Molecular Microbiology</i> , 35(5):1135-1145 (2000). |
| C10 | Bonnefoy et al., "Cloning of a human gene involved in cytochrome oxidase assembly by functional complementation of an <i>oxa1</i> ⁻ mutation in <i>Saccharomyces cerevisiae</i> ," <i>Proc. Natl. Acad. Sci. USA</i> , 91:11978-11982 (1994). |
| C11 | Dalbey et al., "Evolutionarily Related Insertion Pathways of Bacterial, Mitochondrial, and Thylakoid Membrane Proteins," <i>Annu. Rev. Cell Dev. Biol.</i> , 16:51-87 (2000). |
| C12 | Dalbey et al., "Protein translocation into and across the bacterial plasma membrane and the plant thylakoid membrane," <i>TIBS</i> , 24:17-21 (1999). |
| C13 | Dartois et al., "Genetic Analysis and Overexpression of Lipolytic Activity in <i>Bacillus subtilis</i> ," <i>Applied and Environmental Microbiology</i> , 60(5):1670-1673 (1994). |
| C14 | de Gier et al., "Assembly of a cytoplasmic membrane protein in <i>Escherichia coli</i> is dependent on the signal recognition particle," <i>FEBS Letters</i> , 399:307-309 (1996). |
| C15 | Deuerling et al., "The <i>ftsH</i> gene of <i>Bacillus subtilis</i> is involved in major cellular processes such as sporulation, stress adaptation and secretion," <i>Molecular Microbiology</i> , 23(5):921-933 (1997). |
| C16 | Errington et al., "Structure and function of the <i>spoIIIJ</i> gene of <i>Bacillus subtilis</i> : a vegetatively expressed gene that is essential for σ^G activity at an intermediate stage of sporulation," <i>Journal of General Microbiology</i> , 138:2609-2618 (1992). |
| C17 ✓ | Fekkes et al., "Protein Targeting to the Bacterial Cytoplasmic Membrane," <i>Microbiology and Molecular Biology Reviews</i> , 63(1):161-173 (1999). |
| C18 | **Hale & Marham, <i>The Harper Collins Dictionary of Biology</i> , Harper Perennial, NY, 1991. |
| Examiner | /Nancy Vogel/ |
| Date Considered | 05/04/2007 |
| <p>Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant</p> | |

INFORMATION DISCLOSURE CITATION

| | |
|---------------------------------|---|
| Attorney Docket No.: GC715-2-US | Serial No.: 10/500,660 |
| Applicant: BRON et al. | |
| Filing Date: March 31, 2005 | Group: 1636 |
| Page 3 of 5 | Date of this Submission: March 27, 2006 |

OTHER DOCUMENTS

| Examiner's Initials | Author, Title, Date, Pertinent Pages, etc. |
|---|---|
| C19 | /N.V./ He et al., "Membrane Translocation of Mitochondrially coded Cox2p: Distinct Requirements for Export of N and C Termini and Dependence on the Conserved Protein Oxa1p," <i>Molecular Biology of the Cell</i> , 8:1449-1460 (1997). |
| C20 | Hell et al., "Oxa1p mediates the export of the N- and C-termini of pCoxII from the mitochondrial matrix to the intermembrane space," <i>FEBS Letters</i> , 418:367-370 (1997). |
| C21 | Hell et al., "Oxa1p, an essential component of the N-tail protein export machinery in mitochondria," <i>Proc. Natl. Acad. Sci. USA</i> , 95:2250-2255 (1998). |
| C22 | Herrmann et al., "Insertion into the mitochondrial inner membrane of a polytopic protein, the nuclear-encoded Oxa1p," <i>The EMBO Journal</i> , 16(9):2217-2226 (1997). |
| C23 | Houben et al., "Nascent Lep inserts into the <i>Escherichia coli</i> inner membrane in the vicinity of YidC, SecY and SecA," <i>FEBS Letters</i> , 476:229-233 (2000). |
| C24 | Houben et al., "YidC and SecY Mediate Membrane Insertion of a Type I Transmembrane Domain," <i>The Journal of Biological Chemistry</i> , 277(39):35880-35886 (2002). |
| C25 | Jacobs et al., " <i>Bacillus subtilis</i> PrsA is required <i>in vivo</i> as an extracytoplasmic chaperone for secretion of active enzymes synthesized either with or without pro-sequences," <i>Molecular Microbiology</i> , 8(5):957-966 (1993). |
| C26 | Jiang et al., "Differential processing of Propeptide Inhibitors of Rap Phosphatases in <i>Bacillus subtilis</i> ," <i>Journal of Bacteriology</i> , 182(2):303-310 (2000). |
| C27 | Jongbloed et al., "TatC Is a Specificity Determinant for Protein Secretion via the Twin-arginine Translocation Pathway," <i>The Journal of Biological Chemistry</i> , 275(52):41350-41357 (2000). |
| C28 | Kontinen et al., "The PrsA lipoprotein is essential for protein secretion in <i>Bacillus subtilis</i> and sets a limit for high-level secretion," <i>Molecular Microbiology</i> , 8(4):727-737 (1993). |
| C29 | Kunst et al., "The complete genome sequence of the Gram-positive bacterium <i>Bacillus subtilis</i> ," <i>Nature</i> , 390:249-264, (1997). |
| C30 | Kyhse-Andersen, "Electroblotting of multiple gels: a simple apparatus without buffer tank for rapid transfer of proteins from polyacrylamide to nitrocellulose," <i>Journal of Biochemical and Biophysical Methods</i> , 10:203-209 (1984). |
| C31 | Meijer et al., "The endogenous <i>Bacillus subtilis</i> (<i>natto</i>) plasmids pTA 1015 AND pTA 1040 contain signal peptidase-encoding genes : identification of a new structural module on cryptic plasmids," <i>Molecular Microbiology</i> , 17(4):621-631 (1995). |
| C32 | **Miller, J. H., Experiments in Molecular Biology, Cold Spring Harbor Laboratory Press, Cold Spring Harbor NY (1982). |
| C33 | Moore et al., "Chloroplast Oxa1p Homolog Albino3 Is Required for Post-translational Integration of the Light Harvesting Chlorophyll-binding Protein into Thylakoid Membranes," <i>The Journal of Biological Chemistry</i> , 275(3):1529-1532 (2000). |
| Examiner | /Nancy Vogel/ |
| Date Considered | 05/04/2007 |
| <p>Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.</p> | |

PTO-1449

INFORMATION DISCLOSURE CITATION

| | |
|--|--|
| Attorney Docket No.: GC715-2-US | Serial No.: 10/500,660 |
| Applicant: BRON et al. | |
| Filing Date: March 31, 2005 | Group: 1636 |
| Page 4 of 5 | Date of this Submission: March 27, 2006 |

OTHER DOCUMENTS

| Examiner's Initials | Author, Title, Date, Pertinent Pages, etc. |
|---|--|
| C34 /N.V./ | Murakami et al., "Analysis of the <i>Bacillus subtilis</i> spoIIJ Gene and Its Parologue Gene, yqG. <i>Journal of Bacteriology</i> , 184(7):1998-2004 (2002). |
| C35 | Palva, "Molecular cloning of α -amylase gene from <i>Bacillus amyloliquefaciens</i> and its expression in <i>B. subtilis</i> ," <i>Gene</i> , 19:81-87 (1982). |
| C36 | Pogliano et al., "SecD and SecF facilitate protein export in <i>Escherichia coli</i> ," <i>The EMBO Journal</i> , 13(3):554-561 (1994). |
| C37 | Pohlschröder et al., "Protein Translocation in the Three Domains of Life: Variations on a Theme," <i>Cell</i> , 91:563-566 (1997). |
| C38 | Prágai et al., "YsxC, a Putative GTP-Binding Protein Essential for Growth of <i>Bacillus subtilis</i> 168," <i>Journal of Bacteriology</i> , 182(23):6819-6823 (2000). |
| C39 | Prágai et al., "The signal peptidase II (<i>Isp</i>) gene of <i>Bacillus subtilis</i> ," <i>Microbiology</i> , 143:1327-1333 (1997). |
| C40 | Robinson et al., "Protein Targeting by the Twin-Arginine Translocation Pathway," <i>Nature Reviews Molecular Cell Biology</i> , 2:350-356 (2001). |
| C41 | Sääf et al., "Membrane Topology of the 60-kDa Oxa1p Homologue from <i>Escherichia coli</i> ," <i>The Journal of Biological Chemistry</i> , 273(46):30415-30418 (1998). |
| C42 | **Sambrook, J. et al., <i>Molecular Cloning, A Laboratory Manual</i> , 2nd Ed., Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, 1989. |
| C43 | Samuelson et al., "YidC mediates membrane protein insertion in bacteria," <i>Letters to Nature</i> , 406:637-641 (2000). |
| C44 | Schaeffer et al., "Catabolic Repression of Bacterial Sporulation," <i>Proc. Natl. Acad. Sci. USA</i> , 54:704-711 (1965). |
| C45 | Scotti et al., "YidC, the <i>Escherichia coli</i> homologue of mitochondrial Oxa1p, is a component of the Sec translocase," <i>The EMBO Journal</i> , 19(4) :542-549 (2000). |
| C46 | **Singleton et al., <i>Dictionary of Microbiology and Molecular Biology</i> , 2 nd Ed., John Wiley and Sons, New York, 1994. |
| C47 | Sipos et al., "Predicting the topology of eukaryotic membrane proteins," <i>Eur. J. Biochem.</i> , 213:1333-1340 (1993). |
| C48 | Stuart et al., "Making membranes in bacteria," <i>Nature</i> , 406:575, 577 (2000). |
| C49 | Tjalsma et al., "Functional analysis of the secretory precursor processing machinery of <i>Bacillus subtilis</i> : identification of a eubacterial homolog of archaeal and eukaryotic signal peptidases," <i>Genes & Develop.</i> , 12:2318-2331 (1998). |
| Examiner | /Nancy Vogel/ |
| Date Considered | 05/04/2007 |
| <p>Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant</p> | |

PTO-1449

INFORMATION DISCLOSURE CITATION

| | |
|---------------------------------|---|
| Attorney Docket No.: GC715-2-US | Serial No.: 10/500,660 |
| Applicant: BRON et al. | |
| Filing Date: March 31, 2005 | Group: 1636 |
| Page 5 of 5 | Date of this Submission: March 27, 2006 |

OTHER DOCUMENTS

| Examiner's Initials | Author, Title, Date, Pertinent Pages, etc. |
|---|---|
| C50 /N.V/ | Tjalsma et al., "Bacillus subtilis Contains Four Closely Related Type I Signal Peptidases with Overlapping Substrate Specificities," <i>The J. Biol. Chem.</i> , 272(41):25983-25992 (1997). |
| C51 | Tjalsma et al., "The Role of Lipoprotein Processing by Signal Peptidase II in the Gram-positive Eubacterium <i>Bacillus subtilis</i> ," <i>The J. Biol. Chem.</i> , 274(3):1698-1707 (1999). |
| C52 | Tjalsma et al., "Conserved Serine and Histidine Residues Are Critical for Activity of the ER-type Signal Peptidase SipW of <i>Bacillus subtilis</i> ," <i>The Journal of Biological Chemistry</i> , 275(33):25102-25108 (2000). |
| C53 | Tjalsma et al., "Signal Peptide-Dependent Protein Transport in <i>Bacillus subtilis</i> : a Genome-Based Survey of the Secretome," <i>Microbiology and Molecular Biology Reviews</i> , 64(3):515-547 (2000). |
| C54 | Urbanus et al., "Sec-dependent membrane protein insertion: sequential interaction of nascent FtsQ with SecY and YidC," <i>EMBO Reports</i> , 21(61):524-529 (2001). |
| C55 | Vagner et al., "A vector for systematic gene inactivation in <i>Bacillus subtilis</i> ," <i>Microbiology</i> , 144:3097-3104 (1998). |
| C56 | Van Dijl et al., "Signal peptidase I overproduction results in increased efficiencies of export and maturation of hybrid secretory proteins in <i>Escherichia coli</i> ," <i>Mol. Gen. Genet.</i> , 227:40-48 (1991). |
| C57 | Van Dijl et al., "Identification of the Potential Active Site of the Signal Peptidase SipS of <i>Bacillus subtilis</i> ," <i>J. Biol. Chem.</i> , 270(8):3611-3618 (1995). |
| C58 | Van Dijl et al., "Non-functional expression of <i>Escherichia coli</i> signal peptidase I in <i>Bacillus subtilis</i> ," <i>Journal of General Microbiology</i> , 137:2073-2083 (1991). |
| C59 | van Wely et al., "Functional Identification of the Product of the <i>Bacillus subtilis</i> yvaL Gene as a SecG Homologue," <i>Journal of Bacteriology</i> , 181(6):1786-1792 (1999). |
| C60 | van Wely et al., "The carboxyl terminus of the <i>Bacillus subtilis</i> SecA is dispensable for protein secretion and viability," <i>Microbiology</i> , 146:2573-2581 (2000). |
| C62 | Vieira et al., "New pUC-derived cloning vectors with different selectable markers and DNA replication origins," <i>Gene</i> , 100:189-194 (1991). |
| C63 ✓ | Wertman et al., "Host vector interactions which affect the viability of recombinant phage lambda clones," <i>Gene</i> , 49:253-262 (1986). |
| Examiner | /Nancy Vogel/ |
| Date Considered | 05/04/2007 |
| <p>Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant</p> | |

PTO-1449